

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	runtime with section with code with (object adj file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:31
L2	36	runtime with code with (object adj file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:31
L3	0	713/193.ccls. and runtime with code with (object adj file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:33
L4	1	(object adj file) same (target adj address\$3) with runtime	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:34
L6	1	(object adj file) same (target adj address\$3) with runtime	US-PGPUB; USPAT	OR	ON	2009/12/16 23:35
L7	1	713/193.ccls. and (object adj file) same (target adj address\$3) with runtime	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:36
L8	0	713/193.ccls. and ((object adj file) same (target adj address\$3) with runtime). cfm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:36

L12	0	726/22-23.ccls. and "s87"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:37
L13	0	runtime with present with (object adj file\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:37
L14	0	runtime with present with (object adj file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:38
L15	0	runtime same present with (object adj file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:38
L16	3	runtime same present same (object adj file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:38
L17	0	(runtime same present same (object adj file)). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:39
L19	0	runtime same (target adj address\$2) same (first near2 object near2 file) same (second near2 object near2 file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:40
L20	1	runtime same (first near2 object near2 file) same (second near2 object near2 file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:40

L21	0	(object adj file) with no with valid with target adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:41
L22	0	713/187.ccls. and runtime with code with (object adj file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:42
L23	1	726/22-23.ccls. and runtime with code with (object adj file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:42
L24	1	reference adj list same target adj address same execut\$4 same runtime adj function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:43
L25	0	(reference adj list same target adj address same execut\$4 same runtime adj function).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:43
L26	1	713/193.ccls. and target near2 address same list same valid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:44
L27	0	713/193.ccls. and (target near2 address same list same valid).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:44
L29	0	713/187.ccls. and target near2 address same list same valid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:45

L30	0	726/22-23.ccls. and target near2 address same list same valid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:45
L31	2	713/187.ccls. and run adj time with protection and object adj file	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:46
L32	0	713/187.ccls. and (run adj time with protection and object adj file).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:46
L35	0	713/193.ccls. and (run adj time with protection and object adj file).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:47
L36	0	713/193.ccls. and (run adj time with protection and object adj file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:47
L37	0	726/22-23.ccls. and (run adj time with protection and object adj file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:47
L38	0	726/22-23.ccls. and (run adj time with protection and object adj file).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:47
L40	1	713/193.ccls. and (runtime run adj time) with attack and compil\$5 and executable	US-PGPUB; USPAT	OR	ON	2009/12/16 23:48
L41	0	713/193.ccls. and ((runtime run adj time) with attack and compil\$5 and executable).clm.	US-PGPUB; USPAT	OR	ON	2009/12/16 23:48

L44	0	713/187.ccls and ((runtime run adj time) with attack and compil\$5 and executable).clm.	US-PGPUB; USPAT	OR	ON	2009/12/16 23:48
L45	6	713/187.ccls and ((runtime run adj time) with attack and compil\$5 and executable)	US-PGPUB; USPAT	OR	ON	2009/12/16 23:49
L46	11	726/22-23.ccls and ((runtime run adj time) with attack and compil\$5 and executable)	US-PGPUB; USPAT	OR	ON	2009/12/16 23:49
L47	0	726/22-23.ccls. and ((runtime run adj time) with attack and compil\$5 and executable).clm.	US-PGPUB; USPAT	OR	ON	2009/12/16 23:49
L50	5	(run adj time) with identifier with (object adj file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:51
L51	0	valid adj address\$2 with runtime with (object adj file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:52
L52	0	(runtime) with identifier with (object adj file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:53
L53	0	valid adj address\$2 with run adj time with (object adj file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 23:53
S1	2970	713/193.ccls.	US-PGPUB; USPAT	OR	ON	2009/12/16 17:47
S2	2	"20040268365"	US-PGPUB; USPAT	OR	ON	2009/12/16 17:48
S3	2	"20030018681"	US-PGPUB; USPAT	OR	ON	2009/12/16 17:48
S4	94	"5628016"	US-PGPUB; USPAT	OR	ON	2009/12/16 17:48
S5	0	713/193.ccls and "process hijacking"	US-PGPUB; USPAT	OR	ON	2009/12/16 17:48

S6	4	713/193.ccls. and "security cookie"	US-PGPUB; USPAT	OR	ON	2009/12/16 17:49
S7	1	713/193.ccls. and "setjmp"	US-PGPUB; USPAT	OR	ON	2009/12/16 17:49
S8	3	713/193.ccls. and "runtime function" and security	US-PGPUB; USPAT	OR	ON	2009/12/16 17:51
S9	1	"runtime function" and "security cookie"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 17:51
S10	1	("runtime function" and "security cookie").clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 17:51
S11	26	"runtime function" and security and compiler	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 17:52
S12	1	("runtime function" and security and compiler).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 17:52
S13	2	"runtime function" and security and "smart card"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 17:52
S14	4338	"buffer overflow" and prevent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 17:53
S15	1549	"buffer overflow" and prevent and "security"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 17:53

S16	7	"buffer overflow" and prevent and "security cookie"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:00
S17	0	("buffer overflow" and prevent and "security cookie").clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:00
S18	224	"buffer overflow" and prevent and "smart card"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:00
S19	42	"stackguard"	US-PGPUB; USPAT	OR	ON	2009/12/16 18:00
S20	2	runtime with target adj address with list	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:01
S21	1	(runtime with target adj address with list).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:01
S22	17	runtime with address with list with valid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:02
S23	0	runtime adj function with address with list with valid with execute	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:07
S24	1	runtime adj function with address with list with valid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:07

S25	1	runtime adj function with list with valid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:09
S26	14	address with list with valid with execute	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:09
S27	4	"6658657"	US-PGPUB; USPAT	OR	ON	2009/12/16 18:11
S28	0	("2004/0268365").URPN.	USPAT	OR	ON	2009/12/16 18:17
S29	0	("2004/0268365").URPN.	USPAT	OR	ON	2009/12/16 18:17
S30	1	"20030018681"	USPAT	OR	ON	2009/12/16 18:17
S31	94	"5628016"	US-PGPUB; USPAT	OR	ON	2009/12/16 18:17
S32	9	("5615400"   "5692195"   "5740443"   "5857105"   "5920723"   "6345382"). PN. OR ("6658657"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/16 18:17
S33	3	target near2 address same list same valid same terminat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:25
S34	93	target near2 address same list same valid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:25
S35	0	(target near2 address same list same valid same terminat\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:25
S36	3	target near2 address same valid near2 list near3 target near2 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:26



S37	15	target near2 address same valid near4 list	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:26
S38	1	target near2 address same valid near4 list same executable near2 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:29
S39	0	(target near2 address same valid near4 list same executable near2 code). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:30
S40	1	target near2 address same valid near4 list same runtime near3 function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:30
S41	15	target near2 address same valid near4 list	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:30
S42	3	runtime near3 function same target near2 address same list	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:31
S43	28	target near2 address same reference near3 list	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:31
S44	1	target near2 address same list same valid same security same cookie	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:32

S45	1	runtime near2 function same hijack\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:32
S46	4	execution near2 function same hijack\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:33
S47	378	code same hijack\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:33
S48	8	code same hijack\$4 same list	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:34
S49	1	reference adj list same valid same target near2 address\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:34
S50	1	reference adj list same valid same target near2 address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:35
S51	0	longjmp same canary same address same table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:35
S52	1	longjmp same canary same address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:35

S53	1	longjmp same canary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:35
S54	3764	canary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:36
S55	2	canary same address\$3 same table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:36
S56	38	canary same address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:36
S57	3	"6907605"	US-PGPUB; USPAT	OR	ON	2009/12/16 18:36
S58	2970	713/193.ccls.	US-PGPUB; USPAT	OR	ON	2009/12/16 18:36
S59	124	713/193.ccls. and runtime	US-PGPUB; USPAT	OR	ON	2009/12/16 18:36
S60	0	713/187.ccls. and S34	US-PGPUB; USPAT	OR	ON	2009/12/16 18:37
S61	0	713/187.ccls. and S18	US-PGPUB; USPAT	OR	ON	2009/12/16 18:37
S62	11	713/187.ccls. and S14	US-PGPUB; USPAT	OR	ON	2009/12/16 18:37
S63	60	713/187.ccls. and runtime	US-PGPUB; USPAT	OR	ON	2009/12/16 18:37
S64	1	713/193.ccls. and S34	US-PGPUB; USPAT	OR	ON	2009/12/16 18:37
S65	4	713/193.ccls. and S18	US-PGPUB; USPAT	OR	ON	2009/12/16 18:38
S66	25	713/193.ccls. and S14	US-PGPUB; USPAT	OR	ON	2009/12/16 18:38
S67	429	713/187.ccls. and security	US-PGPUB; USPAT	OR	ON	2009/12/16 18:38
S68	2796	726/22-23.ccls.	US-PGPUB; USPAT	OR	ON	2009/12/16 18:38

S69	0	726/22-23.ccls. and S34	US-PGPUB; USPAT	OR	ON	2009/12/16 18:38
S70	12	726/22-23.ccls. and S18	US-PGPUB; USPAT	OR	ON	2009/12/16 18:38
S71	227	726/22-23.ccls. and S14	US-PGPUB; USPAT	OR	ON	2009/12/16 18:38
S72	11	726/22-23.ccls. and canar \$3	US-PGPUB; USPAT	OR	ON	2009/12/16 18:39
S73	543	713/187.ccls.	US-PGPUB; USPAT	OR	ON	2009/12/16 18:39
S74	717	object adj file with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:39
S75	1	object adj file with valid with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:40
S76	5	object adj file with target adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:40
S77	3	(object adj file with target adj address).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:40
S78	246	run adj time with protection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:41
S79	12	run adj time with protection and object adj file	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:41

S80	81	executable adj code with object adj file	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:41
S81	9	executable adj code with object adj file with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:42
S82	64	executable adj code with object adj file and address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:42
S83	199	(runtime run adj time) with attack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:43
S84	58	(runtime run adj time) with attack and compiler	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:43
S85	92	(runtime run adj time) with attack and compil\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:43
S86	5	((runtime run adj time) with attack and compil\$5). cm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:43
S87	77	(runtime run adj time) with attack and compil\$5 and executable	US-PGPUB; USPAT	OR	ON	2009/12/16 18:43
S88	7	(runtime run adj time) with attack and compil\$5 and executable and object adj file	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:44

S89	1	"20050144471"	US-PGPUB; USPAT	OR	ON	2009/12/16 18:44
S90	17	(US-20030018681-\$ or US-20040243833-\$ or US-20030217277-\$ or US-20040268365-\$ or US-20030182572-\$ or US-20040078508-\$ or US-20030172293-\$ or US-20040045018-\$).did. or (US-7086088-\$ or US-6941473-\$ or US-6578094-\$ or US-6658657-\$ or US-7386886-\$ or US-6907605-\$ or US-5644709-\$ or US-5812828-\$ or US-6738976-\$).did.	US-PGPUB; USPAT	OR	ON	2009/12/16 18:44
S91	5	S90 and object adj file	US-PGPUB; USPAT	OR	ON	2009/12/16 18:44
S92	0	plural\$4 with (object adj fil \$2) with runtime with table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:45

## EAST Search History (I nterference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	0	(object adj file) same (target adj address\$3) with runtime	USPAT; UPAD	OR	ON	2009/12/16 23:35
L9	0	713/193.ccls. and ((object adj file) same (target adj address\$3) with runtime).clm.	USPAT; UPAD	OR	ON	2009/12/16 23:36
L10	0	726/22-23.ccls. and ((object adj file) same (target adj address\$3) with runtime).clm.	USPAT; UPAD	OR	ON	2009/12/16 23:36
L11	0	726/22-23.ccls. and "s87"	USPAT; UPAD	OR	ON	2009/12/16 23:37
L18	0	(runtime same present same (object adj file)).clm.	USPAT; UPAD	OR	ON	2009/12/16 23:39
L28	0	713/193.ccls. and (target near2 address same list same valid). clm.	USPAT; UPAD	OR	ON	2009/12/16 23:45

L33	0	713/187.ccls. and (run adj time with protection and object adj file).clm.	USPAT; UPAD	OR	ON	2009/12/16 23:46
L34	0	713/193.ccls. and (run adj time with protection and object adj file).clm.	USPAT; UPAD	OR	ON	2009/12/16 23:46
L39	0	726/22-23.ccls. and (run adj time with protection and object adj file).clm.	USPAT; UPAD	OR	ON	2009/12/16 23:47
L42	0	713/193.ccls. and ((runtime run adj time) with attack and compil\$5 and executable).clm.	USPAT; UPAD	OR	ON	2009/12/16 23:48
L43	0	713/187.ccls. and ((runtime run adj time) with attack and compil\$5 and executable).clm.	USPAT; UPAD	OR	ON	2009/12/16 23:48
L48	0	726/22-23.ccls. and ((runtime run adj time) with attack and compil\$5 and executable).clm.	USPAT; UPAD	OR	ON	2009/12/16 23:49
S93	0	713/193.ccls. and "process hijacking"	USPAT; UPAD	OR	ON	2009/12/16 17:49
S94	1	713/193.ccls. and "security cookie"	USPAT; UPAD	OR	ON	2009/12/16 17:49
S95	0	713/193.ccls. and "setjmp"	USPAT; UPAD	OR	ON	2009/12/16 17:50
S96	1	713/193.ccls. and "runtime function" and security	USPAT; UPAD	OR	ON	2009/12/16 17:51
S97	0	("runtime function" and "security cookie").clm.	USPAT; UPAD	OR	ON	2009/12/16 17:52
S98	0	("runtime function" and security and compiler).clm.	USPAT; UPAD	OR	ON	2009/12/16 17:52
S99	0	"buffer overflow" and prevent	USPAT; UPAD	OR	ON	2009/12/16 17:53
S100	0	("buffer overflow" and prevent and "security cookie").clm.	USPAT; UPAD	OR	ON	2009/12/16 18:00

S101	1	(runtime with target adj address with list). cfm.	USPAT; UPAD	OR	ON	2009/12/16 18:02
S102	0	runtime adj function with address with list with valid with execute	USPAT; UPAD	OR	ON	2009/12/16 18:07
S103	0	runtime adj function with address with list with valid	USPAT; UPAD	OR	ON	2009/12/16 18:07
S104	0	(target near2 address same list same valid same terminat\$4). cfm.	USPAT; UPAD	OR	ON	2009/12/16 18:26
S105	0	target near2 address same valid near4 list same executable near2 code	USPAT; UPAD	OR	ON	2009/12/16 18:30
S106	0	reference adj list same valid same target near2 address \$2	USPAT; UPAD	OR	ON	2009/12/16 18:34
S107	0	reference adj list same valid same target near2 address \$3	USPAT; UPAD	OR	ON	2009/12/16 18:35
S108	0	longjmp same canary	USPAT; UPAD	OR	ON	2009/12/16 18:35
S109	1	(object adj file with target adj address). cfm.	USPAT; UPAD	OR	ON	2009/12/16 18:40

12/ 17/ 2009 12:55:22 AM

C:\Documents and Settings\Kschmidt\My Documents\EAST\Workspaces\10750297.wsp